

DEXONN 德尚照明



Dexonn Lighting Co., Ltd
www.dexonn.com


3528 300LED STRIP

SMD 3528 WARM WHITE

24W/5M DC 12V/24V INPUT

IP22 NON WATERPROOF


DEXONN 德尚照明



DEXONN 德尚照明



3528 LED STRIP 300LEDs/5m 24W DC12V/24V IP22 non waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip warm white color IP22 non waterproof



3528 led strip cold white color IP22 non waterproof



3528 led strip red color IP22 non waterproof



3528 led strip blue color IP22 non waterproof



3528 led strip green color IP22 non waterproof



3528 led strip warm white color IP22 non waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW60IP22	warm white	2700K-3300K	60LED	IP22	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5-6lm/6-7lm/8-9lm
DX-3528NW60IP22	natural white	4500K-5000K	60LED	IP22	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5-6lm/6-7lm/8-9lm
DX-3528CW60IP22	white	6500K-7000K	60LED	IP22	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5-6lm/6-7lm/8-9lm
DX-3528R60IP22	red	620-625nm	60LED	IP22	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5-6lm/6-7lm/8-9lm
DX-3528G60IP22	green	520-525nm	60LED	IP22	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5-6lm/6-7lm/8-9lm
DX-3528B60IP22	blue	465-470nm	60LED	IP22	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5-6lm/6-7lm/8-9lm

3528 300LED STRIP

SMD 3528 WARM WHITE

24W/5M DC 12V/24V INPUT

IP44 WATERPROOF

DEXONN 德尚照明



DEXONN 德尚照明



3528 LED STRIP 300LEDs/5m 24W DC12V/24V IP44 waterproof



3528 led strip warm white color IP44 waterproof




3528 led strip warm white color IP44 waterproof



3528 led strip white color IP44 waterproof



3528 led strip green color IP44 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip red color IP44 waterproof



3528 led strip blue color IP44 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW60IP65	warm white	2700K~3300K	60LED	IP65	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528NW60IP65	natural white	4500K~5000K	60LED	IP65	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528CW60IP65	white	6500K~7000K	60LED	IP65	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528R60IP65	red	620~625nm	60LED	IP65	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528G60IP65	green	520~525nm	60LED	IP65	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528B60IP65	blue	465~470nm	60LED	IP65	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm

3528 300LED STRIP

SMD 3528 WARM WHITE

24W/5M DC 12V/24V INPUT


IP68 WATERPROOF (tube + glue injection)

DEXONN 德尚照明

DEXONN 德尚照明




3528 LED STRIP 300LEDs/5m 24W DC12V/24V IP68 waterproof (covered with tube)



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip warm white color IP68 waterproof (tube)



3528 led strip warm white IP68 waterproof (tube)



3528 led strip green color IP68 waterproof (tube)



3528 led strip blue color IP68 waterproof (tube)



3528 led strip red color IP68 waterproof (tube)



3528 led strip white color IP68 waterproof (tube)

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW60IP68	warm white	2700K-3300K	60LED	IP68	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528NW60IP68	natural white	4500K-5000K	60LED	IP68	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528CW60IP68	white	6500K-7000K	60LED	IP68	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528R60IP68	red	620-625nm	60LED	IP68	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528G60IP68	green	520-525nm	60LED	IP68	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528B60IP68	blue	465-470nm	60LED	IP68	Epistar	4.8W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm

3528 600LED STRIP

SMD 3528 WARM WHITE

48W/5M DC 12V/24V INPUT


IP22 NON WATERPROOF

DEXONN 德尚照明

DEXONN 德尚照明



3528 LED STRIP 600LEDs/5m 48W DC12V/24V IP22 non waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip red color IP22 non waterproof



3528 led strip red color IP22 non waterproof



3528 led strip warm white color IP22 non waterproof



3528 led strip warm white color IP22 non waterproof



3528 led strip red color IP22 non waterproof



3528 led strip white color IP22 non waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW120IP22	warm white	2700K~3300K	120LED	IP20	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528NW120IP22	natural white	4500K~5000K	120LED	IP20	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528CW120IP22	white	6500K~7000K	120LED	IP20	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528R120IP22	red	620-625nm	120LED	IP20	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528G120IP22	green	520-525nm	120LED	IP20	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528B120IP22	blue	465-470nm	120LED	IP20	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*3.5mm	5~6lm/6~7lm/8~9lm

3528 600LED STRIP


SMD 3528 WARM WHITE

48W/5M DC 12V/24V INPUT

IP44 WATERPROOF

DEXONN 德尚照明

DEXONN 德尚照明



3528 LED STRIP 600LEDs/5m 48W DC12V/24V IP44 waterproof



3528 led strip white color IP44 waterproof




3528 led strip warm white color IP44 waterproof



3528 led strip white color IP44 waterproof



3528 led strip warm white color IP44 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip white color IP44 waterproof



3528 led strip warm white color IP44 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW120IP65	warm white	2700K-3300K	120LED	IP65	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528NW120IP65	natural white	4500K~5000K	120LED	IP65	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528CW120IP65	white	6500K-7000K	120LED	IP65	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528R120IP65	red	620-625nm	120LED	IP65	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528G120IP65	green	520-525nm	120LED	IP65	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528B120IP65	blue	465-470nm	120LED	IP65	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm


3528 120LED STRIP

SMD 3528 NATURAL WHITE

9.6W/M DC12/24V INPUT

IP68 WATERPROOF


DEXONN 德尚照明



DEXONN 德尚照明



3528 LED STRIP 600LEDs/5m 48W DC12V/24V IP68 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip red color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip green color IP68 waterproof



3528 led strip white color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip warm white color IP68 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW120IP68	warm white	2700K-3300K	120LED	IP68	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528NW120IP68	natural white	4500K-5000K	120LED	IP68	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528CW120IP68	white	6500K-7000K	120LED	IP68	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528R120IP68	red	620-625nm	120LED	IP68	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528G120IP68	green	520-525nm	120LED	IP68	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528B120IP68	blue	465-470nm	120LED	IP68	Epistar	9.6W	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×8*4.0mm	5~6lm/6~7lm/8~9lm


3528 240LED/M STRIP

SMD 3528 WARM WHITE

19.2W/M DC12/24V INPUT

IP22 NON WATERPROOF

DEXONN 德尚照明



DEXONN 德尚照明

3528 240LED/M STRIP

SMD 3528 WARM WHITE


19.2W/M DC12/24V INPUT

IP22 NON WATERPROOF

DEXONN 德尚照明

DEXONN 德尚照明

3528 LED STRIP 600 LEDs/5m 18W DC12V/24V IP68 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip red color IP68 waterproof



3528 led strip green color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip, white color IP68 waterproof



3528 led strip warm white color IP68 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW240-1-IP22	warm white	2700K~3300K	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528NW240-1-IP22	natural white	4500K~5000K	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528CW240-1-IP22	white	6500K-7000K	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528R240-1-IP22	red	620-625nm	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528G240-1-IP22	green	520-525nm	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528B240-1-IP22	blue	465-470nm	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*3.5mm	5~6lm/6~7lm/8~9lm


3528 240LED/M STRIP

SMD 3528 COLD WHITE

19.2W/M DC12/24V INPUT


IP65 WATERPROOF

DEXONN 德尚照明





3528 LED STRIP 600LEDs/5m 48W DC12V/24V IP68 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip red color IP68 waterproof



3528 led strip green color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip white color IP68 waterproof



3528 led strip warm white color IP68 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW240-1-IP65	warm white	2700K-3300K	240LED	IP65	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528NW240-1-IP65	natural white	4500K~5000K	240LED	IP65	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528CW240-1-IP65	white	6500K-7000K	240LED	IP65	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528R240-1-IP65	red	620-625nm	240LED	IP65	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528G240-1-IP65	green	520-525nm	240LED	IP65	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5~6lm/6~7lm/8~9lm
DX-3528B240-1-IP65	blue	465-470nm	240LED	IP65	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5~6lm/6~7lm/8~9lm

3528 240LED/M STRIP

SMD 3528 WARM WHITE

19.2W/M DC12/24V INPUT

IP68 WATERPROOF


DEXONN 德尚照明



DEXONN 德尚照明



3528 LED STRIP 600LEDs/5m 48W DC12V/24V IP68 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip red color IP68 waterproof



3528 led strip green color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip warm white color IP68 waterproof



3528 led strip white color IP68 waterproof



3528 led strip warm white color IP68 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW240-1-IP68	warm white	2700K-3300K	240LED	IP68	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528NW240-1-IP68	natural white	4500K-5000K	240LED	IP68	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528CW240-1-IP68	white	6500K-7000K	240LED	IP68	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528R240-1-IP68	red	620-625nm	240LED	IP68	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528G240-1-IP68	green	520-525nm	240LED	IP68	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm
DX-3528B240-1-IP68	blue	465-470nm	240LED	IP68	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×10*4.0mm	5-6lm/6-7lm/8-9lm

3528 240LED/M STRIP

SMD 3528 WARM WHITE

19.2W/M DC12/24V INPUT

IP22 NON WATERPROOF

DEXONN 德尚照明



DEXONN 德尚照明



3528 LED STRIP 600LEDs/5m 48W DC12V/24V IP68 waterproof



3528 led strip red color IP68 waterproof




3528 led strip warm white color IP68 waterproof



3528 led strip green color IP68 waterproof



3528 led strip white color IP68 waterproof



12V 3PCS LEDS PER UNIT, 24V 6PCS LEDS PER UNIT



3528 led strip warm white color IP68 waterproof



3528 led strip warm white color IP68 waterproof

Product ID	Color	Color temp	LEDs/meter	IP Rate	LED Brand	Power/m	Voltage	CRI	Color Temp Difference Range	PCB materials	Size/roll(mm)	Lumen/LED
DX-3528WW240-2-IP22	warm white	2700K-3300K	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×15*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528NW240-2-IP22	natural white	4500K~5000K	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×15*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528CW240-2-IP22	white	6500K-7000K	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×15*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528R240-2-IP22	red	620-625nm	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×15*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528G240-2-IP22	green	520-525nm	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×15*3.5mm	5~6lm/6~7lm/8~9lm
DX-3528B240-2-IP22	blue	465-470nm	240LED	IP22	Epistar	19.2W/m	DC12V/24V	>70Ra / > 80Ra	200K <	5 Ounces PCB	5000×15*3.5mm	5~6lm/6~7lm/8~9lm